

Notice of Allowability

Application No.

10/710,478

Examiner

Elias Ullah

Applicant(s)

MCDEVITT ET AL.

Art Unit

2812

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 12/19/2006.
2. ☒ The allowed claim(s) is/are 13-32.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

DETAILED ACTION

This office action is in response to an amendment filed on 12/19/2006.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Jack P. Friedman on January 25, 2007.

The application has been amended as follows:

Cancel claims 1-12.

Allowable Subject Matter

Claims 13-32 are allowed.

With respect to claim 13, the following is an examiner's statement of reasons for allowance: There is no prior art available or obvious motivation to combine elements of prior art which teach forming a dual damascene conductive via bar within said second interconnect level and integral with and extending from a bottom surface of one of said multiplicity of said second dual damascene conductive wires and a top surface of one of said multiplicity of said first dual damascene conductive wires, said dual damascene conductive via bar having a lengthy extending in a lengthwise direction greater than a width extending in a width wise direction .

Art Unit: 2812

With respect to claim 25, the following is an examiner's statement of reasons for allowance: There is no prior art available or obvious motivation to combine elements of prior art, which teach forming a via bar opening in said dielectric layer said via bar opening having a length greater than its width, said length and width of said via bar opening extending in said plane defined by said top surface of and dielectric layer; etching a first trench in said dielectric layer said first trench aligned to said via bar opening said first trench extending from said top surface of said dielectric layer toward a bottom surface of said dielectric layer a distance less than a thickness of said dielectric layer.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Elias Ullah whose telephone number is 571-272-1415. The examiner can normally be reached on 8-5PM.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, MICHAEL LEBENTRITT can be reached on (571)272-1873. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2812

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

E. Ullah
1/22/2007.

SCOTT B. GEYER
PRIMARY EXAMINER



1/25/07